COLONOSCOPY

SUTAB® Bowel Prep Instructions

SUTAB is a split-dose (2-day) regimen. A total of 24 tablets is required for complete preparation. You will take the tablets in 2 doses of 12 tablets each. Water must be consumed with each dose of SUTAB, and additional water must be consumed after each dose.

View approved liquids:

Dose 1 – The Night Before Your Procedure

Take the tablets with water.

- **STEP 1** At 5pm, open 1 bottle of 12 tablets.
- **STEP 2** Fill the provided container with 16oz of water (up to the fill line). Swallow each tablet with a sip of water, and drink the entire amount of water over 15 to 20 minutes.

Drink additional water.

- **STEP 3** Approximately 1 hour after the last tablet is ingested, fill the provided container again with 16oz of water (up to the fill line), and drink the entire amount over 30 minutes.
- **STEP 4** Approximately 30 minutes after finishing the second container of water, fill the provided container with 16oz of water (up to the fill line), and drink the entire amount over 30 minutes.

Dose 2 – The Day of Your Procedure

- **STEP 1** At 4am, continue to consume only clear liquids until after your colonoscopy.
- STEP 2 Open the second bottle of 12 tablets.
- STEP 3 Repeat steps 2 through 4 like above, with Dose 2.

IMPORTANT: If you experience preparation-related symptoms (for example, nausea, bloating, or cramping), pause or slow the rate of drinking the additional water until your symptoms diminish.

IMPORTANT: You must complete all SUTAB tablets and required water at least 2 hours before your colonoscopy.

IMPORTANT: Do not drink for the last 2 hours before your procedure in order to be eligible to receive anesthesia.

IMPORTANT: If you are diabetic, please check your blood sugar level before arriving.